

# MUELLER

# P LUMB-Z

## Price List C-8

Effective, February 20th, 1936



Bronze Plumbing Goods
Flush Valve Equipment
Reducing & Regulating Valves
Relief Valves & Specialties



MUELLER LIMITED
SARNIA -:- CANADA

[BLANK PAGE]



CCA

#### Mueller Products Are Made in Canada



HEAD OFFICE and FACTORY

—— OF ———

# MUELLER LIMITED

SARNIA

- CANADA

Where High-Grade Bronze Plumbing Supplies are Produced by Canadian Workmen



#### SPECIAL NOTICE

Prices given herein apply to Catalogue C. and Flush Valve Catalogue and are subject to change without notice.

Notice of change in prices will be given when possible, but the best current prices will always be made upon orders not covered by outstanding quotations.

Prce Unit is One unless otherwise specified.
Place Your Order Wth Your Jobber.

#### CONDITIONS OF DELIVERY

F.O.B. Sarnia with Freight Allowance on 100 lbs. or over to:

Toronto, Hamilton, London, Chatham, Kitchener, Windsor, Galt, Montreal, Ottawa, Quebec, St. John, Halifax, Moncton, Sherbrooke and Sydney, with equalization on these points.

50 cents per cwt. to Fort William.

\$1.50 cwt. Frt. Allowance on 100 pounds or over to:

Winnipeg and points West thereof in Provinces of Manitoba and Saskatchewan.

\$2.00 cwt. Frt. Allowance on 100 pounds or over to:

Points in British Columbia and Alberta.

#### IMPORTANT

No freight allowed on shower stalls, pipe end reamers, calking or other tools, melting furnaces, reducing and regulating valves, strainers, etc., except C-15400, C-15435 to C-15438 and C-15445 to C-15494 Relief Valves which will be subject to above freight allowance.

#### ORDERS

Orders for special articles not subject to cancellation.

Goods must not be returned except by special permisson and then unless defective will be subject to discount to cover transportation and handling charges.

#### FULFILMENT OF CONTRACTS

The fulfilment of our contracts is dependent upon strikes. Faccidents, delays of carrers or other causes beyond our control.

#### PARCEL POST SHIPMENTS

All pareel post shipments will be insured and sent at customer's expense.

#### TERMS

2% 15th of month following date of invoice. Net end of month following Invoice.

## Built-In Bath Fittings







C-10005 with C-14565 D. & O.

Chro	ome P.
C-10005—Modart Bath Fitting	\$ 8.80
C-10005—Ditto, with C.14525 D. & O	12.30
C-10005—Ditto, with C-14565 D. & O	16.75
C-10001—Round pattern Bath Fitting	8.80
<b>C-10001</b> —Ditto, with C-14520 D. & O	12.30
C-10001—Ditto, with C-14560 D. & O	16.75
C-10004—Arteraft Bath Fitting	13.04
C-10004—Ditto, with C-14524 D. & O	16.54
C-10004—Ditto, with C-14564 D. & O	20.99
For Hose Connection on Spout, add	.38
For 3/4" I.P. Inlet unions on valves, add	1.17
For spout assembled 4" below centre line of handles, add	.59



## Built-In Bath Fittings



实实实




C-10035

C-10045

Chri	ome P
C-10035-Modart Bath Fitting with C-14555 standing drain	\$22.40
C-10031-Round Pattern Fitting with C-14551 standing drain	22.40
C-10034-Arteraft Fitting with C-14554 standing drain	28.22
C-10045-Modart Bath Fitting with top Bell Spout and C-14555 standing drain	21.40
C-10041-Round pattern fitting with C-14551 standing drain	21.40
C-10044-Arteraft pattern fitting, with C-14554 standing drain	26.16
For Hose Connection on Spout, add.	,38
For 14" I. P. Inlet Unions on valves, add	2.40



# Built-In Bath and Shower Fitting




C-10105

	Chre	ome P.
C-10105—Mo	odart Bath and Shower Fitting illustrated	\$20.10
C-10105—Dit	tto, with 1½" C-14525 D. & O.	23.60
C-10105—Dit	tto, with 1½" C-14565 D. & O.	28.04
C-10101—Ro	und pattern Bath and Shower	20.10
C-10101—Dit	to, with 152" C-14520 D. & O.	23.50
C-10101—Dit	to, with 1½" C-14560 D. & O.	28.04
C-10104—Art	teraft Bath and Shower Fitting	27.50
C-10104—Dit	to, with 1½" C-14524 D. & O.	31.00
C-10104—Dit	to, with 1½" C-14564 D. & O.	35.46
For Spout as	sembled 4" below handles, add	.59
For 3/4" I.P. i	nlet unions on valves, add	2.40
For Hose Con	nnection on Spout, add	.38

Prices do not include connecting pipes.

## Built-In Bath and Shower Fitting

With Diverting Valve



C-10205


C-10205—Modart Bath and Shower Fitting as illustrated C-10205—Ditto, with 1½" C-14525 D. & O	 19.60
C-10201—Round pattern Bath and Shower Fitting	 16.10 19.60 24.05
C-10204—Arterait Bath and Shower Fitting C-10204—Ditto, with 1½" C-14524 D. & O. C-10204—Ditto, with 1½" C-14564 D. & O.	 21.93 25.43 29.88
For Hose Connection on Spont, add.  For 12" inlet unions on valves, add.  Lever Handle on Diverting Valve, supplied to order—No extra	 .38 2.40

Prices do not include Riser Pipe to Shower Arm.



## Built-In Bath and Shower Fitting

With Mueller (Niedecken) Mixing Valve



Chro	ome P.
C-10265—Modart Bath and Shower Fitting, as illustrated	\$29.30
C-10265—Ditto, with 1½" C-14525 D. & O	32.80
C-10265—Ditto, with 1½" C-14565 D. & O	37.25
C-10261—Round pattern Bath and Shower Fitting, less D. & O	29.30
C-10261—Ditto, with 1½" C-14520 D. & O	32.80
C-10261—Ditto, with 1½" C-14560 D. & O	37.25
C-10264—Arteraft Bath and Shower Fitting, less D. & O	38.95
C-10264—Ditto, with 1½" C-14524 D. & O	42.45
C-10264—Ditto, with 1½" C-14564 D. & O	46.90
For Hose Connection on Spout, add	.38

C-10265

Prices do not include Connecting Pipes.



## Bath and Shower Fittings









C-10504 Artcraft C-10505 Modart

#### C-10290

N.P.	Chr. P.
C-10290—Bath Faucet and shower fitting including two 5½' x 6' duck curtains but less supply pipes and D. & O.\$27.35	\$30.55
C-10296—Tub Filler Spout, riser pipe and shower head with hand operated diverter in spout	9.48
With curtain ring, ceiling supports and curtain shown with C-10290	28.50
C-10505-Modart Mixer with shower head and arm	21.47
C-10501—Round pattern, ditto	21.47
C-10504—Arterail, ditto  The above includes concealed mixer with metal dial and handle, ball joint shower arm and flange but no flow control.	24.65
For loose key or screw driver stops, add	7.42
For compression type flow control, add 1.30	

## Shower Fittings

With Mueller (Neidecken) Mixing Valves



C-10520

aft 05

18



C-10530



C-10540

N.P.	Chr. P.
C-10520—Mixing Valve with gooseneck, riser and shower head but less control stop\$29.57 C-10523—Ditto, with supplies to floor	\$32.33 35.20 1.43
C-10530—Shower and Body Spray Fittings 45.64	49.88
C-10540—Shower stall 30" x 36" with concealed shower Fitting.  The above includes shower stall with drain strainer and connection for 2" I.P. size caulked joint; curtain and curtain rail, concealed mixer with metal dial and handle, shower head and arm but no flow control. Stall supplied white Duco finish inside and painted grey outside	80.93
C-10544—Ditto with Modart Fittings. C-10540—Ditto, with C-10571 or C-10575 fitting C-10550—Ditto, with C-10581 exposed fitting	80.93 69.64 78.35 91.80



## Shower Fittings







C-10575



C-10581

*** 1世 - 100 日本で 1 東京書(	Chrome P.
C-10575—Modart concealed Shower Fitting	\$11.29
C-10571—Round Pattern, ditto	
C-10574—Arteraft, ditto	
The above includes two concealed shower valves, connecting yoke, ball joint shower head, arm and flange	
- · · · N	P. Chr. P.
C-10581—Exposed Shower Fitting \$17	7.26 \$18.85
C-10583—Ditto, with supplies to floor	

DEPENDABLE SINCE 1857 FULLY WARRANTED



## Concealed Shower Fitting

With Mueller (Niedecken) Mixing Valve



C-10591

	ome P.
C-10591—Shower Fitting	
C-10594—Artcraft, ditto	76.00

The above includes ball joint shower head and arm, two control stops with round bronze escutcheons and four-arm handles; bronze face plate, mixing valve, and 3/4" union inlets and 3/4" I.P. outlet, six 3" body sprays with ball joints. Does not include floor drain.

## Shower and Shampoo Fittings



C-10701



C-10711

C	hr. I'
C-10701—Concealed Shower and Shampoo with round bronze escutcheon and handles	38.20
C-10704—Arteraft, ditto	45.25
The above includes ball joint shower head and arm; control stop, shampoo valve with hose and spray and 1/2" concealed mixing valve with metal dial and handle. Lists do not include connecting pipes.	
C-10711—Exposed shower and shampoo fitting	47.00
The above includes ball joint shower head with gooseneck riser, control stop, shampoo valve with hose and spray, ½" exposed mixing valve with checks and supply elbows to wall.	

## Shampoo Fittings







C-10811

Chro	ome P.
C-10801—Concealed Shampoo Fitting	\$25.54
C-10804—Arteraft, ditto	31.85

The above include 15 concealed mixer with metal dial plates and handles, shampoo faucet, hose and spray with hanger.

C-10811—Exposed shampoo Fitting		31.40
---------------------------------	--	-------

The above includes 1/2 exposed mixing valve wth elbow union connections, shampoo fancet, hose and spray.

# Built-In Bath Supply and Shower Valves



C-10905

	Chrome P.
C-10905—Modart Shower Valve C-10901—Round pattern, ditto C-10904—Artcraft, ditto	4.05
C-10935—Modart Shower Valve with loose key stem	3.71
Corner Type Bath Supply Valve	
C-10915—Modart pattern Bath Supp'y Valve	4.45
By- Pass Type Bath and Shower Valve	
C-10925—Modart pattern by-pass valve C-10921—Round pattern, ditto C-10924—Arteraft, ditto	4.45



## Mixing Valves


Niedecken Patent



C-11000	N.P.	Chr. P.
C-11000—1/2" Exposed Mixer, 9" centres	\$17.49	\$19.10
C-11000—34" Ditto, 9½" centres		38.95



C-11010		Chr. P.
C-11010—1/2" Exp'd Mixer; overall face to face of inlets	5"\$15.53	\$16.97
C-11010—34" Ditto, overall face to face of inlets 51/4".	34.74	37.95



C-11030	N.P.	Chr. P.
C-11030—1/2", Brass Handle and dial plate	\$14.47	\$15.81
C-11030—34", ditto		35.15
C-11035—1/2", Modart, ditto	14.47	15.81

5



## Shower Heads



Cl	r. P.
C-11105—21/2" Adjustable Duo-spray head with ball joint	3.13
Ditto, less ball joint	2.52
C-11115—Ditto, with arm and flange as illustrated	4.23

#### MUELLER BRASS BATH SUPPLY SPOUTS

C-11125—Modart over-the-rim type	\$1.59
C-11121—Round ditto	1.59
C-11124—Arteraft, ditto	2.65
C-11131—Round top bell spout type	1.59
C-11134—Arteraft, ditto	2.65


# Shower Heads Cast Brass with Removable Face Plates









C-11140













C-11150	C-11	170
C-11140—Shower Head with Ball		O1 D
		Chr. P.
. Joint: Diameter 3"	\$2.19	\$2.39
4"	2.12	2.32
5"	3.50	3.83
6"	4.08	4.47
C-11144-Ditto, Arteraft:		
Diameter 3"		3.15
4"		3.05
C-11145-Ditto, Modart:		0.00
Diameter 3"		2.39
C-11150-Ball Joint Shower Head,		
arm with compression		
flow control and flange:		
Diameter 3"	4.36	4.80
4"	4.29	4.72
5"	5.66	6.18
6"	6.23	6.82

flow control and flange:		
Diameter 3"	4.36	4.80
4"	4.29	4.72
5"	5.66	6.18
6"	6.23	6.82
C-11154-Ditto, Artcraft: 4"		5.35
C-11155-Ditto, Modart 3"		4.05
C-11170-Shower Head with I.P.		
Tapping: Dia. 3"	1.38	1.51
4"	1.54	1.68
5"	2.31	2.52
6"	3.13	3.42
C-11180-Ball Joint Shower Head		
and 1/2" I.P.S. arm:		
Diameter 3"	3.52	3.85
4"	2.98	3.25
5"	4.35	4.72
6"	4.92	5.38
0 D: A C. A!!		4 20

	6''	4.92	5.38
C-11184-Ditto, Artcraft	4''		4.28
C-11185-Ditto, Modart	3"	3.52	3.85
C-11190-4" Ball Joint	Shower		
Head with 1/2" se	elf-clos-		
stop and pull	chain	9.73	10.64
C-11200-1/2" I. P. Shower	Arm		
and flange			1.00
C-11205-Ditto, Modart			1.00
C-11220-1/2" I.P. Riser Pipe	e		
support		1.10	1.21
C-11225-Curtain Hold Back	k		
with chain		.48	.52

## Shower Curtains

C-11230-8-oz. White Duck Curtain 10c per sq. ft.

5' 6" x 2' 6" — 6' x 5' 6" 6' x 4' 6" — 6' x 6' 6' x 5' — 6' x 8'

P.O.A. C-11231-Rubberized silk, any color, rubber on one side P.O.A. C-11232-Ditto, with rubber on both sides



C-11240-1" O.D. Straight Curtain Rail with book and round flange only:

C-11242-Modart, ditto

Chr. F For 4' Recess \$2.14 4' 6" Reces 2.32 5' Recess 2.50 5' " Recess 2.80 " Recess 3.12 C-11241-1" O.D. Curtain Rail with curtain holdback and hooks:

C-11243-Modart, ditto:

Chr. P. For 4' Recess \$4.89 4' 6" Recess ... 5.75 5' Recess 6.24 5' 6" Recess .. 6.88 6' Recess \_\_\_ 7.51



C-11250-1" O. D. Corner Curtain Rail, with hooks only:

C-11252-Modart, ditto:

Chr. P. C-11250-28" x 60" for 5' tab ..... \$ 6.33


C-11252-28" x 66" tox 51/2" tule ----- 6.50 C-11251-Corner Rail with holdhack hook and curtain:

C-11253-Modart, Ditto:

Chr. P. C-11251-28" x 60" for 5' tub .....\$11.04

C-11253-28" x 66" for 512' tub ..... 11.54

## Lavatory Combinations




Chrome P. C-11645-Modart Lavatory Combination with four-arm metal han-\$10.14 dles and escutcheons; P.O. plug and chain ..... C-11641—Round pattern, ditto ..... 10.14 13.46 C-11644—Artcraft, ditto ..... C-11655-Modart Lavatory Combination with four-arm metal handles, escutcheons and pop-up drain ..... 12.60 C-11651—Round pattern, ditto ..... 12.60 C-11654—Arteraft, ditto 16.00

> Regularly furnished to fit lavatories with faucet holes 12" centre to centre.

## Lavatory Combinations





C-11690

FULLY WARRANTED

#### 


DEPENDABLE SINCE 1857




## Combination Sink Faucets



C-11800 Chrome P. C-11800—Sink Faucet, 103/8" max. adjustable centres; metal handles \$ 5.85



C-11810 C-11810—Sink Faucet, 103/8" max. adjustable centres; metal indexed handles and removable soap dish ..... \$ 6.76 C-11820—Ditto less soap dish but with switch faucet and spray ....




#### C-11861 RENEWABLE SEATS

Chrome P. C-11861—8" centres; top metal handles, indexed, and removable soap dish ..... \$ 6.76 C-11851—Ditto, but less soap dish ..... C-11865—Similar to C-11861 but with self-closing on Hot side . . . . 7.65 For Hose thread on spout, add ...... 1.02 C-11861 and C-11851 are regularly furnished with inlet connections 8" centres but can be furnished to order for 10" centres without extra charge.

## Combination Sink Faucets



C-11878



Chrome P.

- C-11878-8" Centres; Sink Faucet with metal indexed handles; removable metal soap dish; switch valve with hose and spray ...... \$10.63
- C-11885-8" Centres; Sink Faucet with metal indexed handles; removable metal soap dish; three-way for soft and city water 17.20



- Chrome P.
- C-11891—Arteraft 8" centres, Sink Faucet .....\$20.00



## Cross Index "C" Catalogue and Flush Valve Catalogue

Flush Valve Cat. Number			"C" Cat. Number	Flush Valve Cat. Number		"C" Cat. Number
	100		C-12005	150		C-12065-O
	101	_	C-12015	151	_	C-12065-AO
	102		C-12025-G	152	-	C-12065
	110	_	C-12045	153		C-12065-J
	111	_	C-12045-C	160	_	C-12075-F
	112	-	C-12045-F	161		C-12075-ADF
	113	_	C-12045-CF	162		C-12075-ADFYL
	114		C-12015-A	163		C-12075-ADFP
	115	-	C-12025-ADG	170	-	C-12075-YM
	116	_		171	_	C-12075-AYM
	117	_	C-12025-ADGF	172	_	C-12075-YCYM
	120	_	C-12045-P	173	_	C-12075-AYCYM
	121	_	C-12015-ADP	180		C-12095
	122		C-12025-ADPGF	181		C-12095-T
	123	_	C-12115-ADPGF	182		C-12095-TP
	130	-	C-12035	185		C-12085
	131	-	C-12035-D	186		C-12085
	132	_	C-12035-C	190		C-12095-YD
	133		C-12045-BEHP	191	_	C-12095-YE
	140		C-12055	194		C-12095-YF
	141	_	C-12055-A	195		C-12085-YF
	142	-	C-12055-YA			
	143	_	C-12055-YC			



#### C-12005

Marine valve with back inlet; 1" wheel handle straight stop; metal handle on left hand side; flush connection and coupling for 11/2" top spud, spud and wall flanges.

Centre line valve to wall 61/2". Centre valve inlet to top of bowl

#### C-12015

Similar to C-12005 but with centre line of valve to wall 61/2"; centre valve inlet to top of bowl 131/2".



C-12005

Flush Valve Catalog No. 100 N.P. Chrome

C-12005—Marine ...\$13.70 \$15.75 C-12000—Royal .... 13.70 15.75

32.85 C-12004-Arteraft ...

C-12015 Flush Valve Catalog No. 101 N.P. Chrome

C-12015-Marine ...\$14.20 \$16.35

C-12010—Royal .... 14.20 16.35 C-12014—Arteraft ...



#### C-12025

Marine flush valve with back inlet; 1" wheel handle straight stop; metal push button on front of valve; flush connection and coupling for 112" top spud, spud and wall flanges.

Centre line valve to wall 61/2". Centre valve inlet to top of bowl 24".

#### C-12035

Marine flush valve with back inlet; 1" wheel handle straight stop; metal handle in front of valve; elbow flush connection and coupling for 11/2" side spud, spud and wall flanges.

Centre of valve to wall 61/2" Centre of valve to centre of bowl outlet 11".

Centre valve inlet to centre of spud 11".



C-12035

C-12025 Flush Valve Catalog No. 102

Flush Valve Catalog No. 130 N.P. Chrome N.P. Chrome C-12035-Marine ...\$14.62 \$16.81 C-12025-Marine ...\$14.40 \$16.55 C-12030—Royal .... 14.62 16.81 C-12020—Royal .... 14.40 16.55 C-12034-Arteraft ... C-12024-Arteraft ... 34.00



C-12045

Marine Valve with R.H. inlet; 1" wheel handle angle stop; metal handle on left; flush connection and coupling for 1½" top spud; spud and wall flanges.

Centre of inlet to centre of valve 43/4".

Centre of inlet to top of bowl 8".

C-12055

Concealed rough Marine Valve with 1" wheel handle straight stop on left of valve; metal handle; elbow flush connection and coupling for 1½" exposed back inlet spud, spud and wall flanges; for wall thickness 0" to 1".

NOTE—Orders must state



C 12055

C-12045	thickn	less of wall		C-12055	
Flush Valve Catalog	No. 110		Flush	Valve Catalog	g No. 140
	N.P. (	Chrome		N.P.	Chrome
C-12045-Marine	\$13.70	\$15.75	C-12055-Marine	\$15.60	\$15.60
C-12040—Royal	13.70	15.75	C-12050—Royal .	15.60	15.60
C-12044—Arteraf		32.85	*		

For each additional inch of wall thickness, add..\$ .06



#### C-12065

Concealed rough brass Marine valve with 1" wheel handle straight stop on left side of valve; metal push button; elbow flush connection and coupling for 1½" back spud for 0" to 1" thick.

Push button 22½" above inlet of bowl.

NOTE—Orders must state wall thickness

When ordering, state plate number—letters designating variations if any—whether nickel or chrome plate.

See Pages 34 and 35 for extras or variations.

THICKNESS  OF  WALL  IN  INCHES	FROM FIN. WALL TO CENTER OF VALVE
O TO 1	31"
1 10 2	43"
2 10 3	53"
3 10 4	63"
4 10 5	73"
5 10 6	83"
6 10 7	93"
7 10 8	103"
8 TO 9	112"

C-12065		
Flush Valve Catalog No. 152	N.P.	Chrome
C-12065—Marine		
C-12060—Royal	12.65	12.65
For each additional inch of wall thickness, add	\$ .06	



## Flush Valves Seat Operated

#### C-12075

Marine seat-operated flush valve with wheel handle straight stop; flush connection and coupling for 11/2" top spud; spud and wall flanges; adjustable bar check hinge with oiled and waxed open front and rear golden oak seat.

Centre of Valve to face of wall 61/2". Centre of Inlet to top of Bowl 8".

Orders for valves with top inlet bowls must state distance from centre of spud to centre of seat post holes.

Orders for back inlet bowls must state distance from centre of seat post holes to face of spud.

C-12075	See	Pages	34	and	35	for	Extras	and	Variations.
Flush Valve Catalog No. 160									

This valve change	N.P.	Chrome
C-12075-Marine Valve with Golden Oak Seat	\$31.15	\$35.25
C-12070—Royal pattern, ditto	31.15	35.25
Deduct for Golden Oak Seat	4.15	4.15
For Oak Seats for extended lip bowls, style Y.K.		1.55
add	1.55	1.55

#### Special Variations Applicable to Seat Operated Valves.

1	
Flush Valve	With hinge suitable for raised rear vent closet, inlet on right-hand side of valve with 1" wheel
Cat. No. 162	handle angle stop. Note: Orders must be accompanied by full size side elevation of closet, specifying distance face of spud is elevated
	above rim of bowl and distance from centre N.P. Chrome of spud to centre seat post holes. Add\$ .85


Style Y.M.-Concealed rough seat operated valve with 1" Flush Valve wheel handle straight stop on left side of valve; Cat. No. 170 elbow flush connection and coupling for back spud, spud and wall flanges; wall extensions for 0" to 1" wall; adjustable bar check hinge with Note: Orders must state golden oak seat. thickness of wall and distance from face of finished wall to centre seat post holes

N.P. Chrome \$29.18 \$32.95

For each additional inch of wall thekness, add...

When ordering state plate number-letters designating variations if any-whether nickel or chrome plate.





bar

ate ost

nce

IS.

ne

.25 .25

15

.55


me

.95 .07

#### C-12085

Marine Valve with metal handle on left side of valve; 3/4" loose key angle stop on right hand inlet; flush connection and coupling for 3/4" O.D. top spud; spud and wall flanges.

#### C-12095





C-12095

C-12085

Flush Valve Cat. No. 185

Centre of valve to centre of stop

43/1".

Centre of inlet to top of urinal 8"

N.P. Chrome C-12085 Marine \$13.70 \$15.75 C-12080—Royal 15.75 13.70

Flush Valve Cat. No. 180

Centre of valve to centre of stop

Centre of inlet to top of urinal 8".

Chrome C-12095—Marine \$13.70 \$15.75 C-12090—Royal 13.70 15.75

See page 34 for extras or variations.

#### ·Special variations applicable to the above valves:

Style Y.F.—Concealed rough flush valve with 3/4" loose key stop; 3/4" O.D. elbow flush connection; spud coupling; metal handle; add ..... \$ .95

#### See Chart Page 27.

Style Y.D.—Concealed rough flush valve with 1" stop; 14" O.D. elbow flush connection; spud coupling; metal handle, add \$1.10

#### See Chart Page 27.

When ordering state plate number—letters designating variatons if any—whether nickel or chrome plate.



#### C-12105

Marine Flush Valve with 1" loose key angle stop; right hand inlet; metal handle in front of valve; flush connection and spud coupling for 1½" O.D. top spud; spud and wall flanges.



#### C-12115

Marine Flush Valve with 1" loose key angle stop; right hand inlet; metal handle in front of valve, flush connection and coupling for 112" top spud; spud and wall flanges.

C-12105

C-12115

Flush V	2/110	Cat	No	181

Centre of valve to centre of stop 434".

Centre of inlet to top of urinal 15"

N.P. Chrome C-12105—Marine \$13.70 \$15.75 C-12100—Royal 13.70 15.75 Centre of valve to centre of stop 43/4".

Centre of inlet to top of urinal 24"

N.P. Chrome C-12115—Marine \$14.37 \$16.54 C-15110—Royal 14.37 16.54

See page 34 for extras or variations.

#### Special variations applicable to the above valves:

When ordering state plate number: letters designating variations, if any; whether Nickel or Chrome Plate.





#### C-12120

	N.P.	Chrome
C-12125—Marine		\$29.10
C-12120—Royal	25.32	29.10

The above includes flush valve with 1" loose key angle stop on right of body; metal handle in front of valve; flush connection and coupling for 11/2" O.D. top spud; spud and wall flanges; C-12900 slop sink faucet with metal handles and forked pail brace.

#### ORDERS MUST STATE-

- 1-Distance from inside of fix are to wall.
- 2-Centre line of spud to wal on top nlet bowls.
- 3-Face of spud to wall on back inlet bowls.

See page 34 for extras or variations.

When ordering state plate numbers letters designating variations, if any; whether Nickel or Chrome Plate.

## Foot Operated Flush Valves



C-12135

#### C12135

Concealed rough Marine Flush Valve with 1" wheel handle straight stop on left of valve; elbow thush connection for 11/2" exposed back inlet spud; spud and wall flanges; cast iron floor box wth nickel metal cover and push button: 5/16" O.D. Copper operating tube with connections suitable for scall thickness 0" to 1". Face of spud to wall 3".

Orders must state thickness of wall

	N.P.	Chrome
C-12135-Marine Flush Valve	\$22.35	\$23.47
C-12136-Ditto for Bowl with Back inlet against wall		
C-12137-Ditto for bowl with top inlet installed 3"		
from wall	24.55	25.80
C-12145-Ditto with 31" L.P. inlet and 31" O.D. omle	24.85	26.10
For each additional inch of wall thickness, add		.07

## Vacuum Breakers



id:

ish

ng ior ud

1110

.80 .10 .07

V-60-A



V-80-A

V-60-A—Vacuum Breaker with union coupling inlet to fit Marine or Royal Valve and 1½" O.D. slip joint outlet. Can be supplied with coupling nut on inlet to fit valves of any manufacture on receipt of sample nut, or for 1¼" O.D. slip	Rgh.	N.P.	Chr.
joint outlet without extra charge.	\$5.10	\$6.10	\$6.20
V-80-A—Vacuum Breaker with ½" I.P. elbow union inlet and ½" I.P. straight union outlet	P.	O. A.	
V-80-B—Ditto, with ½" I.P. elbow union inlet and outlet	P.	Ō. A.	
V-80-C—Ditto, with 1/2" I.P. straight union inlet and outlet	Р.	O. A.	



#### EXTRAS AND VARIATIONS

		Rgh.	N.P.	Chr.
Style	A-With inlet on right hand side of valve	No	Extra	
Dryle	B—With inlet on back of valve	No	Extra	
	C—With inlet on left hand side of valve	No	Extra	
	D—With Angle Stop	No	Extra	
	E—With Straight Stop	No	Extra	
	F—With loose key instead of wheel handle stop	No	Extra	
	G—With handle on left hand side of valve	No	Extra	
	H—With handle on front of valve	No	Extra	
	I—With handle on right hand side of valve	No	Extra	
	J—With metal handle	No	Extra	÷
	K—With porcelain push button	No	Extra	
	L—With metal push button	No	Extra	
	O—With 1" inside I. P. union outlet	No	Extra	
	P-With elbow flush connection for back spud		.94	1.08
	R—With 11/4" inside I.P. union outlet	No	Extra	
	S—With 2 x 1½" spud reducer		.77	.88
	T—With 1½" O.D. Flush Connection	No	Extra	
	U—With 11/4" O.D. Flush Connection	No	Extra	
	V—With 1" O.D. Flush Connection	No	Extra	
	X—For pressures from 5 to 12 pounds	No	Extra	
	YA—Concealed rough valve with elbow flush connection for top inlet bowl		1.30	1.55
	YC—Concealed rough valve with elbow flush connection for wall hung bowls, deduct		.50	.57



#### EXTRAS AND VARIATIONS

hr.

.88

1.55

.57

Rgh.	N.P.	Chr.
\$1.10		
1.20		
.95		
	.44	.50
	.66	.69
	1.56	1.79
	.66	.69
No	Extra	
5.10	6.10	6.20
	\$1.10 1.20 .95	1.20 .95 .44 .66 1.56 .66 No Extra



# Marine Flush Valve


### Parts Price List

142651 89788 142655	M-3 M-4-A M-4	Description Body Cover, Assembled Cover	Rgh.	N.P. \$5.65 3.85 3.30	Chr. \$6.50 4.45 3.80
142656	M-5	Cover Gasket	.10		10
142660	M-6	Cover Screw	0.0	.14	.16
142661	M-10	Cover Screw Gasket	.02		
142657	M-11	Regulating Screw	.19		
89789	M-12-A	Piston Assembled	3.25		
142662	M-12	Piston	.95		
142666	M-37	Xpelor	.45		
142663	M-14-A	Cup Rubber	.77		
142664	M-15	Top Plate	.46		
142665	M-16	Top Plate Screw	.02		
142669	M-17	Auxiliary Valve Spring	.10		
89781	M-18-A	Auxiliary Valve	.53		
142670	M-20	Auxiliary Valve Seat	.06		
89780	M-21	Main Sloco Seat	.34		
142671	M-23	Guide	.94		
142659	M-25	Regulating Screw Packing Nut	.06		100
142658	M-26	Regulating Screw Packing	.06	62	
142682	A-5	Outlet Coupling Nut		.62	.70
141273	A-6	Handle Coupling Nut	0.4	.53	.00
140513	A-30	Outlet Gasket	.04		
140674	A-31	Handle Gasket	.04	2.25	2.35
	-B-1-A	Porcelain Handle P. 1.A.		2.23	2.33
89790		Porcelain Handle including B-1-A;		2.82	2.96
140017	D a	A-6 and A-31	50	2.82	2.90
140917	B-2	Porcelain Grip	.52		
142677	B-5	Handle Bushing	.23		
89785	B-8-A	Handle Plunger	.23	.40	.46
142678	B-7	Handle Casing	.15	.40	.40
140671	B-10	Handle Spring			
140668	B-11	Leather Washer	.03		
142687	B-13 B-32-A	Packing Nut	.09	2.25	2.58
89794	D-32-A	Metal Handle		2.25	2.30
89793				2.82	3.24
142675	D 22	A-6 and A-31			
142675 140677	B-32 F-1	Metal Handle only		.70	.80
1400//	1,-1	Outlet Tube		.02	./1
		complete with nut and tail	2.12	2.82	3.26
		complete with flut and tall	2.12	2.02	3.20

For Stop Parts Price List see Page 37.



#### Marine Flush Valve



#### Parts Price List for 1" Straight or Angle Stop

		Description	Rgh.	N.P.	Chr.
142654	H-5	Tailpiece	\$	\$ .53	\$ .60
141550	H-6	Coupling Nut		.77	.88
142153	H-12	Stem Packing	.11		
142274	H-36	Handle Screw		.03	.04
142826	H-38	Wheel Handle		1.08	1.24
142834	H-39	Bonnet		1.08	1.24
142822	H-41	Wheel Handle Stem Socket	.42		
142830	H-42	Loose Key Stem Socket	.42		
142825	H-43	Wheel Handle Stem Pack Nut	.11		
142829	H-44	Loose Key Stem Pack Nut		.42	.48
142824	H-46	Stem Lock Nut	.11		
. 89800	H-47-A	Seat Washer Assembled	.84		
142273	H-52	Handle Washer		.11	.16




# Royal Flush Valve

#### Parts Price List

		Description .	Rgh.	N.P.	Chr.
89308	A-3	Body	\$	\$7.06	\$8.12
141274	A-4	Outside Cover		2.54	2.92
141270	A-5	Outlet Coup. Nut		.62	.70
141273	A-6	Handle Coup. Nut		.53	.60
140658	A-11	Inside Cover	1.40		
89263	A-13-A	Guide	.94		
89500	A-15-A	Disc Complete	.71		
140661	A-17	Auxiliary Valve Seat	.06		
89192	A-19-A	Auxiliary Valve	.94		
140666	A-24	By-Pass Tube	.06		
140665	A-25	Dowel	.04		
140677	F-1	Outlet Tube		.62	.71
89940	A-56-A	Segment Diaphragm	1.18		
89233	A-26-A	Plain Diaphragm	.48		
140513	A-20-A	Outlet Gasket	.04		
140513	A-31	Handle Gasket	.04		
89791	B-1-A	Handle, similar to B-32-A but with	.01		
09/91	D-1-A	porcelain grip		2.25	2.35
89790		Porc. Handle includes B-1-A;			
05750		A-6 and A-31		2.82	2.96
140917	B-2	Porcelain Grip	.52		
89215		Porcelain Handle with B-7		1.10	1.16
142677	B-5	Handle Bushing	.53		
89785	B-8-A	Handle Plunger	.23		
142678	B-7	Handle Casing		.40	.46
140671	B-10	Handle Spring	.15		
140668	B-11	Leather Washer	.03		
142687	B-13	Packing Nut	.09		
142675	B-32	Metal Handle only		.70	.80
89794	B-32-A	Metal Handle		2.25	2.58
89793		Metal Handle includes B-32-A;			
		A-6 and A-31		2.82	3.24
89852		Marine Equipment for Royal Valve	3.77		
		Union Straight or Angle Stop			
		complete with nut and tail	2.12	2.82	3.26

For Stop Parts Price List see Page 37.


## Royal Flush Valve








#### PARTS PRICE LIST



SECTIONAL C-12200

rices apply to C-12200, C-12500



SECTIONAL C-12600 Parts prices apply to C-12400, C-12600, C-13300, C-13310, C-13320

Parts prices apply	to C-	12200, C	-12500	),	No.	Description	Size	Pt. No.	P	rice
C-13100, C	C-134	00 etc.			1.	Index H or C	H	81142	ea. \$	.38
NI D	C:	Da Nia	I	Duica		with retain. No. 2	2 C	81142	ea	.38
		Pt. No. 50504			2.	Plain Cap	3/8"	76942	ea	.38
1. Handle Screw			doz. \$	.14		I.	1/2"	76943	ea	.38
2. Handle	3/8"	76843	ea		3.	Retainer Nut		77231	ea	.13
1/2" &		76844	ea.	.14		Thrust Nut	3/8"	51344	ea	.08
3. Cap &	3/8"		ea.	.19			1/2"	51345	ea	.10
1/2" &	3/4	56965	ea	.19	5.	Thrust Washer	3/8"	40278	ea	.04
4. Packing	7/8	142376	doz.	.58		3 211 010 11 0101101	1/2"	40278	ea	
1/2" &	3/4"	56969	doz.	.58	6.	Handle, 4-arm	3/8"	76956	ea.	
5. Fibre Washer		47724	doz.	.30	0.		12"	76957	ea.	
6. Brass Washer		141232	doz.	.30		Handle, Tee	3/8"	76951	ea	
7. Stem, assembled						Tandic, Tec	1/2"	76952	ea	
with seat washer		00516		25		Handle, Lever	1/2"	89530	ea.	
and screw		89546	ea.	.25		Handle, 6-arm	1/2"	76960	ca	
	1/2"	87850	ea	.25	7	Roller Retainer	3/8"	85369	ea	.35
	3/4"	87856	ea	.33	/ .	Roller Retainer	1/2"	85370	ea	.40
8. Seat Washers	2 / 44		100		Q	Can		40270	ea	.45
only	3/8"	61585	100	1.75	0.	Cap	1/2"	141797	ea	.50
	1/2"	61586	100	2.10	0	Packing -		40287	ea.	.07
	3/4"	61587	100	10.15	9.	Packing	1/2"	40288	ea.	.07
	1"	61649	100	16.30	1.0	Lockwing Washer		47222	ea.	.09
Stems for					10.	Lockwing washer	1/2"	43783	ea.	.14
straight & angle					1.1	Di.i Di	72	40289	ea.	.04
stops, assembled	3/8"	89546	ea			Retaining Pin	3/8"	40290	ea.	.15
	1/2"	89856	ea.		12.	Spring -	1/2"	47508	ea.	.30
	3/4"	89856	ea.	.25	1.7	C.	3/8"	51335		.34
					13.	Stem	1/2"	62334	ea.	.34
		NII	CI		1.4	C W/1	72	61585	ca.	.04
** 1 T TT 11		N.I	. Ch	rome		Seat Washer		01707	ca.	.04
Metal Lever Handle		d ·	2.0	d 42	1).	Seat Washer	3/11	61022		0.4
		\$ .	58	\$ .42		Screw	3/8"	61822	ea	.04
Four-arm Brass Hand			2.0	42		C. A 11	1 2."	40302	ea.	.04
indexed H and C				.42		Stem Assembly	38"	85773	ea.	.63
China Button only			08	.08			1/2"	87992	ea.	.66

For Miscellaneous Parts See Page 88.





C-12200				C-12210					
	3/8"	1/2"	3/4"	1"		3/8"	1/2"	3/4"	1"
Rough	\$ .70	\$ .70	\$ .92	\$2.60	Rough	\$ .78	\$ .78	\$1.02	\$2.95
Fin. Brass	.83	.83	1.06	2.88	Fin. Brass	.92	.92	1.16	3.23
Nickel Pl	.89	.89	1.13	3.18	Nickel Pl	.99	.99	1.23	3.52
Chrome Pl	.98	.98	1.24	3.48	Chrome Pl	1.07	1.07	1.34	3.85



.38

.38 .38 .38 .13 .08

.04

.04 .20 .30 .05 .15 .54 .40 .35 .40 .45 .07 .07 .09 .14 .04 .15 .30 .34 .34

.04



C-12220	C-12230
Solid Flange; Inside Thread 1/2"	Solid Flange; Inside Thread 1/2"
	Fin. or N. P
Chrome 1.26	Chrome 1.36





C-12240	C-12250
Threaded Flange	Threaded Flange
Fin. or N. P	Fin. or N. P\$1.25
Chrome 1.26	Chrome 1.36
	1/2" 3/4" 1"
For Metal Indexed Lever Handle, add	\$ .18 \$ .18 \$
For Stuffing Box, add Chr26	
For Loose Key, add	

TRADI



MARK

# Compression Sink Faucets



		1/2"	3/4"
Fin. or N	.P	 \$1.29	\$1.55
Chrome		1.41	1.69



Fin. or N.P. . . . . \$1.47 \$1.73 Chrome . . . . . . . . 1.58 1.86



For Loose Key, add



		C-12310		
			1/2"	34"
Fin. or	N.P.		.\$1.39	\$1.63
Chrome			. 1.52	1.79



Fin. or N.P. .....\$1.57 \$1.81 Chrome ...... 1.69 1.96



(	C-12330			
· ·	7 1 2 0 0 0	1/2"	3/4"	
Fin. or N.P.		/ -		
Chrome			1.79	
C-12331-Ditt				
	dle, ade		18	
	1/3"	3/4"	1"	
dd	\$ .23	\$ .23	\$ .35	


.21

.21

.30

For Stuffing Box on any of the above, a

# Self-Closing Sink Faucets



C-12400				C-12	450	
3/8" Fin. or N.P\$3.41 Chrome 3.72	\$3.23	\$3.87	Fin. or		\$3.55	\$5.78
For 4-Arm Handle, Ade For 6-Arm Handle, add For Lever Handle, add	d				N.P. \$ .07 .19	Chr. P. \$ .08

Compresson Faucets to match above supplied at same price.



	3/8"	1/2"	3/4"	1"	11/4"	11/2"	2"
C-12490—I. P. Rough	\$1.14	\$1.18	\$2.02	\$2.99	\$5.04	\$8.38	\$14.49
Finished							
Nickel Plated	1.67	1.71	3.08	4.34	7.08	11.80	19.24
C-12492—Ditto, for lead pipe—							
Rough'	1.24	1.26	2.16	3.20			
Finished	1.49	1.53	2.66	3.87			
Nickel Plated	1.77	1.80	3.20	4.56			

## Lavatory Faucets





N.P.	Chr.
C-12500—Lavatory Faucet with forged four-arm indexed handle,	
coupling nut and tail \$1.59	\$1.74
C-12501—Ditto, less coupling nut and tail 1.45	
C-12502—Ditto, less tailpiece only 1.52	
C-12503—Ditto, with coupling nut for 1/2" O.D. Slip Joint 1.56	
C-12505—Ditto, similar to C-12500, but in Modart design	2.25
C-12500-1-2-3 will be furnished with four-arm brass handle, porcell dexed, without extra charge.	ain in-

C-12520-Top Handle Lavatory Faucet with metal lever indexed

C-12J2U-101) Italian Lavatory Laucti with metal level mache	
handle, coupling nut and tailpiece\$1.59	\$1.74
C-12521—Ditto, less coupling nut and tail 1.45	1.61
C-12522—Ditto, less tailpiece only	1.66
C-12523—Ditto, with coupling nut for ½" O. D. slip joint 1.56	1.70
C-12530—Side Handle Lavatory Faucet with indexed metal lever	
handle, coupling nut and tailpiece\$2.06	\$2.25
C-12531—Ditto, less coupling nut and tailpiece 1.93	2.11
C-12532—Ditto, less tailpiece only	2.18
C-12533—Ditto, with coupling nut for ½" O. D. slip joint 2.02	2.20
For Stuffing Box on any of the above Faucets, add	.25

# Double Lavatory Faucets



.66

in-

.74 .61

.70

.25 .11 .18 .20

.25





C-12564

CI	nrome P
C-12540—Double Lavatory Faucet, indexed metal lever handle; swivel "Y" connection, 4" centre to centre	\$10.28
C-12541—Ditto, wth hose coupling on spout	10.66
C-12544—Arteraft Pattern	14.00
C-12560—Double lavatory faucet with C-14100 pop-up drain	15.90
C-12564—Ditto, Artcraft	35.30
For Stuffing Boyes on the above add	2'



# Self-Closing Lavatory Faucets



	N.P.	Chrome
C-12600—Self-Closing Faucet with four-arm brass handle; porcelain index; coupling nut and tailpiece  C-12601—Ditto, less coupling nut and tailpiece  C-12602—Ditto, less tailpiece only	\$3.66 3.53 3.59 3.63	\$3.99 3.86 3.91 3.94
C-12610—Self-Closing Faucet with 6 arm brass handle, porcelain index; coupling nut and tailpiece  C-12611—Ditto, less coupling nut and tailpiece  C-12612—Ditto, less tailpiece only  C-12613—Ditto, with coupling nut for ½" O.D. slip joint.	3.78 3.66 3.72 3.75	4.09 3.95 4.01 4.04
All above furnished with plain brass cap without extra	charge	
C-12620—Self-Closing Faucet with brass lever handle; coupling nut and tailpiece	3.92 3.78 3.84 3.90	4.27 4.12 4.18 4.22
Compression Faucets to match above supplied at same	price.	


## Compression Pantry Faucets



3.99 3.86 3.91 3.94

3.95 3.01 4.04

.12



C-12710

	N.P.	Chrome
C-12700-Pantry Faucet with four-arm porcelain indexed	<b>#</b> 2.00	#2.00
handle; coupling nut and tailpiece	\$3.00	\$3.28
C-12701—Ditto, less nut and tailpiece	2.86	3.13
C-12702—Ditto, less tailpiece only	2.92	3.18
C-12703-Ditto, with coupling nut for 1/2" O.D. slip joint.	2.95	3.21
C-12710—Pantry Faucet with metal lever indexed handle;		
coupling nut and tailpiece	3.00	3.28
C-12711—Ditto, less nut and tailpiece	2.86	3.13
C-12712—Ditto, less tailpiece only	2.92	3.18
C-12713—Ditto, with nut for 1/2" O.D. slip joint	2.95	3.21
Can be supplied R. or L. Hand-Right Hand regularly	supplie	ed.
For any of the above faucets with long corrugated nozzle, ad	ld .45	.48

For Hose Connections .....

.44



#### Pantry Faucets



N.P. Chrome C-12720-Double Pastry Fancet with metal lever indexed handles; suived connection 4" centre to centre. \$ 9.85 \$10.80 11:90 C-12721-Ditto, with lose and spray C-12730-Double swing spout faucet with metal lever han-12,45 dles; 5" spoot and existel connection .......... 13.25 C-12731-Ditto, with sport 7507 long C-12750-Self-closing Pantry Fancet, Journary indexed 7.88 8.61 landle coupling out and tailpiece C-12752—Ditto, less nut ned tailpiece C-12752—Ditto, less tailpiece only C-12753—Ditto, with out for 1½" O.D. alip joint 7.74 8.45 7.68 8.39

7.72

8.43

# Bath Faucets



C-12800—Bath Faucet with metal handles and rough plated		Chrome
coupling nuts and tailpieces		\$ 4.32
C-12810—Ditto, with metal soap dish	5.45	5.94
C-12820-Ditto, with switch faucet and hose spray	10.06	11.08
The above faucets less coupling nuts and tailpieces, deduct-	.60	.66
The above faucets with finished nuts and tailpieces, add	.25	.28



C-12830—Top handle bath faucet with four-arm indexed	N.P.	Chrome
brass handles with rough plated coupling nuts and tailpieces	\$ 3.95	\$ 4.32
C-12830—Ditto, with four-arm brass handles, porcelain indexed	3.95	4.32
C-12840—Front metal lever handle bath faucet with rough plated coupling nuts and trilpieces	3.43	3.74
The above faucets less coupling nuts and tailpieces, deduct.	.60	.66
The above faucets with finished nuts and tailpieces, add	.25	.28

# Sink and Laundry Tray Faucets



C-12900


Slop Sink Faucet with metal lever indexed handles, adjustable centres (103/8" max.); pail hook and wall support; 3/4" I.P. inlets.

Chrome Plated ......\$13.40

Can be furnished with 1/2" I.P. inlets at same price.







C 12010	C-12920		C-12930	1
C-12910	C-12920		C-12930	
	•		N.P.	Chrome
	Cub Faucet with tee handle an		\$ .92	\$ .98
C-12920—1/2" Ditto, wit	th hose spout		1.02	1.07
cement tub; s	Faucet with metal handles; swing spout with hose threa	id and	soap	<b>*</b> 4.40
dish; 1/2" I.P.		R.	N. P.	\$4.19
C-12931—Ditto, less so	ap dish	R.	N. P	3.71
C-12932—Similar to C-	12931 but with brackets for	R. . Fin.	N. P.	3.71 5.00 5.46
C-12934—C-12930—with	brackets for wall	R.	N. P.	4.19
C-12935—Ditto, less soa	np dish	R.	N. P	3.71





#### Lawn and Hose Faucets



C-12940

C-12940—Swing spout with hose thread and tee. R.N.P. 1/2" I.P. .. \$1.53



C-13000

C-13000-Drain Faucet, hose thread and tee handle. R.N.P. 1/2" I.P. .. \$ .54



C-13010

C-13010—Lawn Hose Faucet with hose thread and loose key. R.N.P. 1/2" I.P. . . \$ .83



C-13020

Combination loose key and wheel handle sill faucet. R.N.P. ...  $\frac{1}{2}$ " \$1.29;  $\frac{3}{4}$ " \$1.59



19 71

71

46

C-13030



C-13040

C-13030—Range Boiler Supply Valve, with 1" I.P. galvanized union tailpiece ...... Rgh. 1/2" \$1.18 1.85 1.18 1.85





# Compression Stops



C-13100



C-13110

C-13100 and	3/8"	1/2"	3/4"	1''
C-13110—Rgh	\$ .67	.72	\$ .95	\$2.95
R.N.P	.73	.81	1.04	3.06
Fin	.81	.87	1.09	3.24
N.P	.88	.94	1.19	3.41
Chrome P	.96	1.03	1.31	3.72
For four-arm Handle, add:				
N.P	.32	.32	.32	.32
Chrome P	.36	.36	.36	.36



C-13120



C-13130

C-13120 and	3/8"	1/2"	3/1"
C-13130—Fin	\$ .95	\$1.00	\$1.30
N.P	1.02	1.09	1.39
Chrome P	1.11	1.19	1.52
		N.P.	Chrome
For Stuffing Box, add to above		\$ .23	\$ .25





## Compression Stops



	C-13140		
		1/2"	31"
Fin	\$1.02	\$1.07	\$1.34
N. P	1.09	1.13	1.39
Chrome P	1.20	1.24	1.52

Slip Joint

Fin \$1.02 \$1.07 \$1. N. P 1.09 1.13 1. Chrome P 1.20 1.24 1.							-	0	10100		
N. P 1.09 1.13 1.									38"	12"	34"
	Fin			÷	è	ļ	į,	Į,	\$1.02	\$1.07	\$1.34
Chrome P 1.20 1.24 1.	N. P.								1.09	1.13	1.39
	Chrom	C	P				÷		1.20	1.24	1.52



1"\_ 2.95 3.06 3.24 3.41

3.72

.32 .36

1.30

1.52

onie 3 .25


C-13160



C-13170 Chrome P. . . . . . . . . . . . . . . . . . 1.28



C-13180





N. P. -----\$1.28 Chrome P. .... 1.41





# Self-Closing Stops



C-13300



C-13310

C-13300—Self-Closing Stop with Tee handle	38"	3/2"
Fin. or N. P	\$2.92	\$2.92
Chrome Plated	3.18	3.18
C-13301-Ditto, with lever handle for pull chain		\$4.82
Fin. or N. P Chrome Plated		5.26
C-13310—Angle pattern with Tee Handle		
Fin. or N. P.	\$2.92	\$2.92
Chrome Plated		3.18



C-13320

C-13320-Self-Closing Stop with Tee handle and volume	450	22.00
regulating control	01.47	\$4.47
Fin. or N. P.	\$4.47	4
Chrome Plated	4.88	4.88

# Compression Stops and Stop and Drains



C-13400



C-13410

	3/8	1/2"	3/4	1"
C-13400—Rough	\$ .67	\$ .65	\$ .95	\$2.95
C-13401—With Lockshield	.88	.95	1.25	
C-13410—Rough	.67	.65	.95	2.95
C-13411—With Lockshield	.88	.95	1.25	



4.82 5.26

\$2.92 3.18

C-13422



C-13430


C-13420—Stop and Drain with drain tube in Bonnet Rough	\$1.02	3/4" \$1.51	1" \$3.06
C-13421—Ditto, with Copper Service pipe inlet	2.02	2.02	3.65
C-13422—Ditto, with capped drain tube	1.08	1.58	2.88
C-13430—Stop and Drain with Drain Boss on side			
of body	.78	1.09	



# Ground Key Stops and Stop and Drains



C-13512



C-13520

\$1.04	58" \$1.36	\$4" \$1.60	1'' \$2.46	1½" \$	11/2"	2'' \$
φ1.01	φιισσ	Ψ	4	•	*	_
00	1 10		0.00	201	4.20	7.40
.83	1.18	1.41	2.08	2.95	4.36	7.42
1.06	1.39	1.69	2.53	4.85	8.18	14.17
.85	1.19	1.44	2.12	3.06	4.47	7.53
.85	1.19	1.44	2.12	3.06	4.47	7.53
1.19	1.56	1.89	2.83			
1.19	1.56	1.89	2.83	5.74	9.74	16.89
1.24	1.61	1.91	2.89	5.85	9.87	17.01
	.83 .83 1.06 .85 .85	.83 1.18 .83 1.18 1.06 1.39 .85 1.19 .85 1.19 1.19 1.56 1.19 1.56	.83 1.18 1.41 .83 1.18 1.41 1.06 1.39 1.69 .85 1.19 1.44 .85 1.19 1.44 1.19 1.56 1.89 1.19 1.56 1.89	.83 1.18 1.41 2.08 .83 1.18 1.41 2.08 1.06 1.39 1.69 2.53 .85 1.19 1.44 2.12 .85 1.19 1.44 2.12 1.19 1.56 1.89 2.83 1.19 1.56 1.89 2.83	.83 1.18 1.41 2.08 2.95 .83 1.18 1.41 2.08 2.95 1.06 1.39 1.69 2.53 4.85 .85 1.19 1.44 2.12 3.06 .85 1.19 1.44 2.12 3.06 1.19 1.56 1.89 2.83 5.74 1.19 1.56 1.89 2.83 5.74	1.06     1.39     1.69     2.53     4.85     8.18       .85     1.19     1.44     2.12     3.06     4.47       .85     1.19     1.44     2.12     3.06     4.47       1.19     1.56     1.89     2.83     5.74     9.74       1.19     1.56     1.89     2.83     5.74     9.74       1.19     1.56     1.89     2.83     5.74     9.74

ROUND WAY



C-13550

C-13540—Round way Socket head lever handle stop	\$1.40	\$2.12	\$2.45	1" \$3.91	\$ \$	1½" \$	\$ 2"
C-13541—Ditto, with solid tee head	1.40	2.12	2.45	3.91	6.40	10.62	18.52
lever handle stop and drain C-13551—Ditto, with solid tee	1.45	2.16	2.52	4.00	6.56	10.75	18.67
head	1.45	2.16	2.52	4.00	6.56	10.75	18.67

Self-Closing Drinking Water and Fil-glass Faucets



Chr. Pl. C-13600—3\%" 1.1\. . . . . . . . . . . . . \$6.29 C-13610—38" I. P. . . . . . . . . . \$9.88 C-13611—Compression, ditto 9.88



C-13615—Push-button selfclosing 3/8" inside

.17 .53

.89

.89

.52

.67


.67



3/8" I.P. .\$9.41




Chr. Pl. . . . \$23.78 C-13640




Chr. Pl. Chr. Pl. C-13660 . . . . . . . . \$38.37 C-13650 .. \$23.78

The above faucets are supplied with volume regulating device and 1/4" I.P. Coupling Inlet

# Drinking Fountains With Self-Closing Stops and Volume Regulator



C-13670—With inlet tailpiece for 11" I. P. ..... \$ 9.50 \$10.94



C-13680—Inlet 16" L1' \$8.53 \$ 9.80




C-13690—With inlet 14" LP. \$10.00 \$11.50

## Drinking Fountains and Bubbler Heads



Chr. P. C-13700-W" I. P. Inlet \$ 8.53 \$ 9.80



Chr. P. \$11.50 C-13710-Inlet, 38" LP, Drain, 34" LP .... \$10.00

C-13720-Straight pattern with 34" I. P. inlet, dia. Head 236"-

C-13721-Elbow pattern with 16" L. P. inlet. dia Head 236"-

C-13730-Straight pattern with 14" 1.P. inlet, dia. Head 178".

C-13731-Elbow pattern with 14" I.P. inlet. dia. Head 136".



C-13731

N.P. Chr. P. Chr. P. NP C-13721 \$ 5.96 \$ 6.85 \$ 2.99 \$ 2.60 C-13720 C-13731 2.65 3.05 2.57 2.24 C-13730 .....

THE DEPT NUMBER SINCE 1857 PRULE WARRANTED IN



## Lavatory Supplies







C-13830









0 20000		
C-13820—Angle Basin Connection	N.P.	Chr.P.
38" I.P Each	\$ .32	\$ .35
C-13830—Straight ditto Each	.32	.35
C-13840—Angle supply 38" I.P.S., pr.	1.83	2.00
Ditto, ½"pr.	2.66	2.91
C-13850—Angle supply with W.H.		
Stop 38" I.P.S pr.	3.46	3.78
Ditto, 1/2" I.P.S pr.	4.38	4.79
C-13860—Angle supply 38" I.P.S. with		
Multiple thread outlet pr.	1.97	2.16
C-13870—Ditto, with W.H. Stops .pr.	3.61	3.94
C-13880—Angle supply adj. cone 38"		
I.P.S	1.97	2.16
C-13890—Ditto, W.H. Stoppr.	3.61	3.94
C-13900—Angle Supply 9 16" O.D.		
S.J., Adjustable collar,		
W. H. Stops pr.	3.61	3.94
C-13901—Ditto less stopspr.	1.97	2.16
With Screw Driver Stop, pr.		
deduct 3/8"	.03	.04
1/2"	.06	.06
With Loose Key Stop, pair, add38"	.15	.16
1/2"	.08	.08
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		

With Four-arm Handle indexed, pair, add


35"

.15

.08

.16

.08



r.P.

.35

.35

2.00

2.91

3.784.79

2.163.94

2.163.94

3.94 2.16

.04

.06

.16

.08

.16







### Pop-Up Drains

(Palested).



C-14101

and the same of th	C well from
C-14105-Modart Pop-Up	
Drain	\$4.35
C-14100-Round, ditto	
C-14104-Arteraft, ditto .	4,35



Chrome C-14111-Pop-Up Drain for operating through teach of lavatory \$4.68



C-14120

# Standing Basin Drain

With Brass Knob

	Christic
C-14120	\$5.19

# Lavatory and Sink Traps







0	4	4	0	^	_
C-	1	4	Z	3	O

		Size	Gauge	N.P.	Chrome
C-14199-	—Straight Basin Drain with P.O. plug, stopper and chain (not illustrated Cat. C.)	11/4"	19	\$1.80	\$1.98
C-14200-	-Plain "P" Trap with P.O. plug,			•	
	stopper and chain	11/4"	19	2.84	3.10
	Ditto, less plug, stopper and chain	11/4"	19	2.25	2.46
	Ditto with plug, stopper and chain	11/4"	16	3.06	3.34
	Ditto, less plug, stopper and chain	11/4"	16	2.47	2.70
C-14230-	-Plain "P" Trap with sink connec-				
	tion	11/2"	19	3.35	3.66
	Ditto, less sink connection	11/2"	19	2.82	3.09
	Ditto, with sink connection	11/2"	16	3.58	3.91
	Ditto, less sink connection	11/2"	16	3.03	3.34
For any	trap with cleanout	.dd		53	.58
For any	trap with Modart wall flange A	.dd		•	1.00
For any	trap with Arteraft flangeA	.dd			1.70
For 11/2"	' trap with P.O. plug, stopper and				
	ain	bb.		98	1.08



# Lavatory and Sink Traps







	Size	Gauge	N.P.	Chrome
C-14210—Plain "S" Trap with P.O. plug, stopper and chain	11/4"	19	\$3.53	\$3.86
Ditto, less plug, stopper and chain	1/4"	19	2.94	3.22
Ditto with plug, stopper and chain	11/4"	16	3.74	4.09
Ditto, less plug, stopper and chain	114"	16	3.16	3.46
C-14220—Vented "S" Trap, with P.O. plug, stopper and chain	11/4"	19	5.12	5.59
C-14240—Plain "S" Trap with sink connection	11/2"	19	4.06	4.43
Ditto, less sink connection	11/2"	19	3.53	3.86
Ditto, with sink connection	11/2"	16	4.26	4.66
Ditto, less sink connection	11/2"	16	3.73	4.09
C-14245—Vented "S" Trap with sink connection	11/2"	19	6.70	7.33
For any trap with cleanout	\dd		53	.58
For any trap with Modart wall flange	\dd			1.00
For any trap with Arteraft flange	\dd			1.70



# Lavatory and Sink Traps

Centrifugal Pattern

A	e (iii)				
			151.		
1		Size	Gauge	N.P.	Chrome
	C-14250—Plain "P" Trap				
C-14250	with plug, stop- per and chain	11/4"	19	\$4.04	\$4.41
	C-14250—Ditto	11/2"	19	5.93	6.48
#	C-14250—Ditto	2"	19	12.25	13.39
10	C-14270—Plain "S" Trap with plug, stop-				
IIAII	per and chain	11/4"	19	4.04	4.41
MVSACE	C-14270—Ditto	11/2"	19	5.93	6.48
	C-14270—Ditto	2"	19	12.25	13.39
	For any Trap less and chain, deduct			.58	.64
C-14270	la l				
CONT	INUOUS WASTE FITTINGS	(Not il	lustrated	Cat. C	.)
			11/4"	11/2"	2"
	ree section, dittoNic	kel Pla me Pla	te 4.64 te 7.16	5.23 7.95	12.84 16.81
tr	ntinuous Waste for combination ay, two inlets	kel Pla me Pla	te te te	4.77 5.23 .78 .86	
5	DEPENDABLE SINCE 1857 FL	ILLY WAR	RRANTED	Management of the second	Этенинини

ome

3.86 3.22 4.09 3.46

5.59

4.43 3.86 4.66 4.09

7.33

.58 1.00 1.70









C-14201 C-14201—Cast "P" Trap less P.O. Plug

11/4" 11/2" Nickel Plate \$2.12 \$2.44 \$5.49 2.32 2.67 6.00

#### Bronze Cast Traps



11/2" C-14305-Cast "P" Trap with sink connection. N. P. on Rough \$2.19 C-14305—Less Sink Connection N. P. on Rough C-14315—Cast "S" Trap with sink 1.95 connection

N. P. on Rough C-14315—Cast "S" Trap less sink 2.54 connection. N. P. on Rough 2.29



C-14300



C-14310

grey paint

Nut, grey paint



C-14300-With Sink Connection and Slip Joint Nut, \$2.19 C-14300-Less Sink Connection but with Slip Joint 1.95


11/2"

2.33

2.09

1.72

1.48



C-14330-With Sink Connection and Slip Joint Nut, grey paint 1.95 C-14330-Less Sink Connection but with Slip Joint

Nut, grey paint 1.71 For Traps less Slip Joint Nut, deduct .13 I. P. Nipple not regularly furnished.



C-14330



### Cast Iron Drum Traps



115"

\$2.19

1.95

2.54

2.29

\$2.19 1.95

> 2.33 2.09 1.72 1.48

1.95

1.71



C-14350

C-14340—2"x 6"; Inlet and Outlet 1½" I.P.; Cover 1½" I.P.	
With Nickel Plated Cover	\$1.48
With Chrome Plated Cover	1.69
With 1½" Black Iron Plug instead of N.P. Cover	1.12
C-14350—4"x 6": Inlet and outlet 11/3" I.P.: Cover 3" I.P.	
With Nickel Plated Cover	2.57
With Chrome Plated Cover	2.69
C-14351—Ditto with sunken square cover	
Nickel Plated	2.57
Chrome Plated	2.69

#### LAVATORY PLUG

#### LAUNDRY TUB PLUG



#### Trap Parts

Plug is finished Nuts and Tailpieces Dull



C-14370

N. P. ......\$1.41

C-14300		
C-14360—C.O. Plug with stopper 11/4" with 1"		C-14370—1/4"
tailpiece, N.P \$	76	
C-14361—P.O., ditto		

DEPENDABLE SINCE









#### Trap Parts

#### SOLDER BUSHING



I P Size O D Tubing

I. I. U.	126	, D. Luc			
11/4"	X	11/4"	Per	C	\$12.50
11/2"	x	11/4"	Per	C	20.85
11/2"	v	112"	Per	C	16.50

#### SLIP JOINT NUT



C-14390

With r	ubber slip and metal	friction	washers
I. Pipe	O.D. Tubing	N.P.	Chr. P.
1,2"	7/16 and 1/2" doz.	\$1.84	\$2.00
	9/16"	2.32	2.54
	11/16"	2.45	2.68
	11/4"	2.46	2.69
11/5"	114" and 138"	4.16	4.54
11/2"		4.01	4.38
	2"	4.34	4.74



C-14400

#### Vent Tees

				C	-14	40	U—as 11	Ingna	icec	J.			
11/4"	I.	P.	Vent,	114"	L.	P.	Drain.	11/4"	S.	J.	Inlet,	each \$	.91
112"	I.	P.	Vent,	11/2"	L.	P.	Drain,	11/2"	S.	J.	Inlet,	each	1.17
154"	I.	P.	Vent,	112"	L.	P.	Drain,	114"	S.	J.	Inlet,	each	1.12
114"	I.	P.	Vent,	114"	L.	P.	Drain,	11/4"	I.	P.	Inlet,	each	.91
115"	I.	P.	Vent,	114"	L.	P.	Drain,	11/2"	I.	P.	Inlet,	each	1.16

#### Soldering Nipples



C-14410

C-14410 and C-14420



\$ .22 \$ .31 \$ .43 \$ .55 \$ .76 \$1.07 \$2.00 \$2.65 \$4.71



# Combined Drain and Overflows





C-1	145	1	0-	1	I/a	,,
-	10	-	0	Ŧ	14	



		(	ľ	ır. P.
C-14520—1½"				\$3.50
C-14525—Modart, 1½".				3.50
C-14524—Arteraft, 11/2".				3.50

C-14500-D. & O.

2.00

54

.68

.69

54

.38

.12

.91

11/4" 13/8" 11/2" C-14500—N.P... \$2.83 \$2.99 \$3.33 Chr. P. 3.09 3.26 3.64

N.P. C.P. C-14510—With P. Trap\$5.38 \$5.88 With S. Trap 5.57 6.08

#### Pop-Up Bath Drain and Overflow



#### Mechanical Drain (Patented)

Chr. P.

C-14555-Modart concealed standdrain; metal handles, each .....\$13.40


C-14550 —Ditto. round, each ..... 13.40

C-14554 - Ditto, Arteraft, each ... 14.74

C-14565-Modart Pop-Up Bath Drain and Overflow .........7.95

C-14560-Ditto, round ..... 7.95

C-14564—Ditto. Arteraft ..... 7.95






DEPENDABLE SINCE FULLY WARRANTED



# CLOSET TANK FITTINGS





C-14600

0	9	40	30
0	B.	46.	20

C-14640

C.14600—Ball Valve with copper float, less tailpiece	\$2.26
C-14610-Ball Valve with copper float, less tailpiece and reful tulis	2.14
C.14620-Ball Valve with copper float, less tailpiece	1.53
C-14640-Douglas Flush Valve, complete with bill and wire	.12
For any of the above with tailpiece, add	.28
For any of the above less copper flow, deduct	.20
Fox C 14640 less rubber ball, deduct	



C-14650-Leves Action with metal handle and 34" aquare to fit tank with 14" aquare bole

5 .81

Clas. P.

NR

\$ 31 C-14660

	N.P.	Clu.P.
C-14660-Straight Closet topply hi" LPS, inlet; multiple should outlet	5 .84	\$ .91
C.14661-Dino, with shoulder joint for tank valve	_ 34	.91
C-14662-Doro, with wheel handle straight stop	1.86	2.03
C-14663-Angle supply 1;" LP.S. inlet; multiple thread souler	.54	.91
C-14664-Ditto, with shoulder joint for tank value	04	91
C-14665Ditto, with W. H. angle stop	1.86	2.03



### Closet Sundries

C-14700—Complete set of Closet Tank Fittings:	N.P.	Chr. P.
Prices per C. set or over	\$5.30	\$5.57
Less than 100	5.71	6.01
Above set includes:		
C-14600—Ball valve with copper float less tail	2.26	2.31
C-14640—Douglas Flush Valve	1.53	
C-14650—Lever Action	.81	.92
C-14660—3/8" I.P.S. supply pipe with flange	.84	.91
2" Elbow 4" x 5" with cplg. nut and rubber rings	1.28	1.40
1 pair Wall Hooks	.09	
I par Floor Screws and Washers	.13	

SPUD

#### FLOOR FLANGE



2.14 2.26 1.53 .12 .28

\$ .91

2.03

.91



C-14670

C-14680


Caraca Caraca	
C-14670—Complete:	
1¼", 1½" or 2" spud	 \$ .50
2" x 1¼" or 2" x 1½" reducer	 .61
Spud rubber, 1¼", 1½" or 2"	 .09
N.P. Coupling nut, 11/4", 11/2" or 2"	 .19
Ditto, with washers	 .22
C-14680—Brass Floor Flange	 .52



Chr. P. C-14690—Spreader with " slip joint.....



# Globe, Angle and Check Valves



HOSE NOZZLE



C-14900-All Brass

C-14900—All D	1 033	
J	Packed in Bulk	Packed in Cartons
Plain Nozzle, gross lots, per doz. Less than Gross lots, per doz.		\$6.46 6.88
C-14901—Die Cast Hose Nozzle— Gross lots—Rough, dozen		\$4.25

Less than gross lots: Rough, doz. Polished and Plated, doz. 5.14

Polished and Plated, doz.

HOSE COUPLING



C-14910-All Cast Brass  $\frac{1}{2}$ ,  $\frac{5}{8}$ , or  $\frac{3}{4}$  sizes: 2 gross lots, doz. Less than 2 gross lots, doz. 1.96 Nut and Tail only, doz. 1.25



#### Brass Body Ferrules



C-15000 3'' \$ .35 \$ .49 \$ .61 2" 3" 4" \$ .48 \$ .48

Disc

75 lbs.

\$5.62 5.62 5.04

9.28

\$1.78 1.96 1.25



C-15010 4" Recess Pattern 2x11/4" 2x11/2" \$ .53 \$ .61 \$ .75



C-15020



C-15030 2" \$ .33

#### Iron Body Ferrules



C-15040 2" 3" 4"



Raise Hex Sunken Square 2" 3" 4" \$ .43 \$ .66 \$ .75 \$ .43 \$ .66 \$ .75




C-15060 4" \$ .32



C-15070 4" \$ .32



### Heating System




C-15300-Complete with automatic pressure control; damper regula-	41 44
tor; pressure gauge; thermometer and drain stop	31.96
C-15301—Ditto, less damper regulator	19.75
C-15302-Ditto, less damper regulator; thermometer and dran stop	18.04
C-15303—Pressure control only, includes: stop and check, strainer, regulating valve, relief valve and connecting nipples  Thermometer only, Part No. 142016	16.82
Gauge only, Part No. 77982	1.22
C-15305-Air Cushion Tanks:	-
12 x 36-14 Gal - Approx. 330 feet radiation	7.85
12 x 48-20 GalApprox. 700 feet radiation	9.25
12 x 58-24 GalApprox. 1200 feet radiation	10.75
14 x 36-20 GalApprox. 700 feet radiation	11.65
C-15310—Copper Supply Tabes	.70




#### Repair Parts Price List

RELIEF VALVE FOR HEATING SYSTEM



ANGLE PATTERN RELIEF VALVE



No.	Description		List
1.	Adjusting Screw	each	\$ .14
2.	Spring Button	each	.06
3.	Spring .	each	.20
4.	Spring Chamber .	each	1.10
5.	Pressure Plate Nut	each	.10
6.	Pressure Plate	each	.18
7.	Diaphragms -	each	.24
8.	Spring Chamber Bolts	each	.04
9.	Stem	each	.20
10.	Seat Washer Assembly		
	Gasket	each	.04
11.	Dodd II doller ricidiner, 1-		
	Washer; and 13, Seat W		= 0
	Screw, assembly No. 8482		.50
	Seat Washer only	each	.10
14.	Diaphragm Base	each	2.25
15.	Seat Ring Gasket	each	.02
16.	Seat Ring	each	.20
17.	Body	each	1.40

04

82 11 22

65

70


No.	Description	List
1.	Adjusting Screw each	\$ .14
2.	Spring Button each	.06
3.	Spring each	.30
4.	Spring Chambereach	1.75
5.	Pressure Plate Nuteach	.12
6.	Pressure Plate each	.10
7.	Diaphragm Gasket each	.06
8.	Stem; 9, Seat Washer; and 10, Seat Washer Screw, assembly	
	No. 84859	.40
	Seat Washer onlyeach	.10
11.	Seat Ringeach	.20
12.	Body each	1.70

When ordering parts-state catalogue No., size, pressures, and type of service.



# Reducing and Regulating Valve

PARTS PRICE LIST




C-15400

			14"	3/8"	1,2"	3/4"	1"	11/4"	112"	2"
1.	Body Cap	Each	\$1.42	\$2.50	\$2.50	\$4.00	\$7.22	\$14.55	\$24.25	\$36.60
2.	Cap Washer	Each	.03	.03	.03	.04	.06	.12	.15	.24
3.	Yoke Plug	Each	.00	.34	.34	.62	.77	2.25	2.74	8.15
4.	Seat Washer	Each	.30	.10	.10	.10	.16	1.54	.60	.42
5.	Seat Screw	Doz.	.14	.14	.14	.14	.14	.50	.84	.84
6.	Seat Ring	Each	.24	.40	.40	.60	1.20	1.60	2.15	4.76
7.	Seat Ring Washer	Each	.02	.03	.03	.04	.10	.30	.28	.28
8.	Body	Each	1.42	2.50	2.50	4.00	7.22	14.55	24.25	36.60
9.	Yoke	Each	.50	1.04	1.04	1.50	2.00	3.00	4.32	9.30
10.	Diaphragm Washer	Each	.10	.12	.12	.12	.20	.00	.00	.00
11.	Diaphragm	Each	.20	.30	.30	.30	.50	2.40	4.14	4.92
12.	Pressure Plate	Each	.20	.20	.20	.50	.92	1.75	2.55	6.36
13.	Yoke Nut	Each	.20	.08	.03	.10	.10	1.50	2.20	3.36
14.	Spring Chamber	Each	1.20	2.30	2.30	3.10	4.12	15.70	23.40	33.70
15.	Spring	Each	.12	.60	.60	.82	1.04	1.60	2.15	2.92
16.	Spring Sutton	Each	.16	.16	.16	.16	.16	1.00	1.00	1.85
17.	Locknut	Each	.16	.16	.16	.16	.16	.36	.36	.42
18.	Adjusting Screw	Each	.16	.25	.25	.28	.28	.42	.58	.90
19.	Strainer Screen									
20.	Screen Washer									
21.	Spring Wire	Each	.82	.70	.70	.72	.88	1.02	1.56	2.40
22.	Body	_ Each	1.30	.88	.88	1.20	2.25	4.35	8.88	10.10
23.	Cap Gasket	Each	.08	.00	.00	.00	.10	.16	.27	.14
24.	Cap	Each	.38	.45	.45	.45	.60	1.36	2.00	2.10
25.	Close Nipples	_ Each	.18	.10	.28	.36	.5?			

Sizes 1/4 to 1 inclusive connected by close brass nipples.

#### Reducing and Regulating Valves





2"

6.60

.24 8.15

.42

.84

4.76

.28 6.60

9.30

.00

4.92

6.36

3.36

3.70 2.92

1.85

.42

.90

2.40

0.10

.14

2.10





C-15400-All bronze Reducing and Regulating Valve with C-15450 Strainer for hot and cold water, air and liquid soap; inlet pressures up up to 250 lbs. and outlet pressures from 5 to 125 lbs.

NOTE-When ordering state catalogue number, size, inlet and outlet pressures and type of service. 3/8 1/2" 3/4" 1" 11/4" \$ 7.78 \$11.60 \$11.60 \$12.45 \$18.88 \$49.40 11/2" 2" 21/2" \$65.30 \$92.36 \$135.45

C-15410-Reducing and Regulating Valve with C-15450 strainer for high pressure hot and cold water, air and oil.

NOTE-When ordering state catalogue number, size, inlet and outlet pressures and type of service. For inlet pressures up to 200 lbs.

\$12.60 \$12.60 \$13.40 \$15.10 \$20.10 \$35.80 11/2" 2" \$43.60 \$58.21

For pressures up to 1000 lbs. P.O.A.

C-15420-Reducing and Regulating Valve with C.15450 Strainer for steam and hot oil. For inlet pressure up to 200 pounds and outlet pressure up to 125 pounds.

NOTE-When ordering state catalogue number, size, inlet and outlet pressures and type of service. 1" 1/4" 3/8" 1/2" 3/4" \$12.60 \$12.60 \$13.40 \$15.10 \$20.10 \$35.80 11/2" \$43.60 \$58.21

C-15430-Reducing and Regulating Valve with C-15450 Strainer for air, gas and oil.For inlet pressures up to 200 pounds and outlet pressures up to 125 pounds.

NOTE-When ordering state catalogue number, size, inlet and outlet pressures and type of service. 1/4" 3/8" 1/2" 3/4" 1" 11/4" \$12.60 \$12.60 \$13.40 \$15.10 \$20.10 \$35.80 2" 11/2" \$43.60 \$58.21

The above up to and including 1" can be supplied for pressures up to 500 lbs. P.O.A. > Improvement of the control of the







### Diaphragm Operated Pressure Relief Valves



C-15440

C-15440—Diaphragm operated relief valve with auxiliary spring and test lever.

Regularly stocked set at 50, 75, 100, 125 and 150 pounds relief pressure.

When ordering state catalogue number, size and maximum relief pressure.

1/2"	3/4"	1"	11/4"	11/2"	2"
\$ 6.70	\$10.10	\$19.35	\$29.45	\$40.35	\$58.50



C-15445 (Patent Pend)

C-15445—Angle pattern diaphragm operated relief valve with auxiliary spring; outside 3/4" I.P. inlet and 1/2" inside I.P.

Can be supplied with  $\frac{1}{2}$ " outside I.P. inlet to order at no extra cost.

Regularly stocked set at 50, 75, 100, 125 and 150 pounds relief pressure.

For pressures up to and including 125 lbs., each \$3.65

For pressure of 150 lbs. each 3.97

When ordering state catalogue number, size and maximum relief pressure.



# Pressure, Temperature and Vacuum Relief Valves

threaded inlet



and

unds

mum

8.50

aux. I.P.

no

nds

3.65

3.97

um

C-15447—Combined temperature and pressure relief valve with aux-·iliary spring.

> Regularly stocked set at 50, 75, 100, 125 and 150 pounds relief pressure and fusible plug made to fuse at approximately 212 F.; tube with fusible plug extending 1", 5" or 10" below threaded inlet.

> When ordering state catalogue number; maximum relief pressure; maximum fusing point for temperature relief plug and length of tube.

Supplied with 3/4" I.P. inlet; 1/2" I.P. outlet.

With temperature relief tube extending 1" below threaded inlet \$4.70 With temperature relief tube extending 5" below

\$4.85

With temperature relief tube extending 10" below threaded inlet \$4.95



C-15448—Combined temperature, pressure and vaccum relief valve with auxiliary spring.

> Regularly stocked set at 50, 75, 100, 125 and 150 pounds relief pressure.

> Fusible plug to fuse at approximately 212° F.; tube with fusible plug 1", 5" or 10" long. Vacuum relief set at approximately 5" to 7" mercury column.

> When ordering state catalogue number; maximum relief pressure; maximum fusing point for temperature relief and length of tube.

> Supplied with 34" I.P. inlet and 12" I.P. outlet. P.O.A.

	With	1"	Tube,	List	8	9.35	
					******	9.55	
						9.80	
58	Fusib	le P	lugs			.66	





#### Pressure, Temperature and Vacuum Relief Valves with Testing Lever

C-15490—Diaphragm operated relief valve with auxiliary spring and testing lever.

Regularly stocked set at 50, 75, 100, 125 and 150 pounds with  $\frac{3}{4}$ " I.P. inlet and  $\frac{1}{2}$ " outlet.

Can be furnished with  $\frac{1}{2}$ " I. P. inlet at no extra cost. When ordering state catalogue number, size and maximum relief pressure.

For pressures up to and including 125 lbs. \$4.55
For pressure of 150 lbs. 4.85



C-15491—Combined relief and check valve with auxiliary spring and testing lever.

Regularly stocked set at 50, 75, 100, 125 and 150 pounds. Can be furnished in \( \frac{1}{2}'' \) I. P. and \( \frac{3}{4}'' \) I.P. size.

When ordering state catalogue number, size and maximum relief pressure.

For pressures up to and including 125 lbs. \$6.47 For pressure of 150 lbs. 6.75



C-15492—Combined temperature and pressure relief valve with auxiliary spring and testing lever.

Regularly stocked set at 50, 75, 100, 125 and 150 pounds. Fusible plug to fuse at approximately 212° F. and tube for fusible plug 1", 5" and 10" long.

When ordering state catalogue number, maximum relief pressure, maximum temperature relief and length of tube. Supplied with 34" I.P. inlet and ½" I.P. outlet. P.O.A.




C-15493—Combined pressure, temperature and vacuum relief valve with auxiliary spring and testing lever.

Regularly stocked set at 50, 75, 100, 125 and 150 pounds. Fusible plug made to fuse at approximately 212" F.; tube for fusible plug 1", 5" and 10" long with vacuum relief approx. 5" to 7" mercury column.

When ordering state catalogue number, maximum relief pressure, maximum temperature relief and length of tube. Supplied with 34" I.P. inlet and ½" I.P. outlet. P.O.A.

DEPENDABLE SINCE 1857



With 1" Tube, List \$10.75 5" Tube, List 10.95 10" Tube, List 11.20

Fusible Plugs

.66



#### Strainers



3

Im

rads

um

55 .85

and

nds.

um

5.47 5.75

ux-

ids. ube

lief ibe.

A.

ds.

lief

lief be. Α.

·75 ·95

20

C-15450

For Water, Steam, Air, Gas or Oil Screwed Ends



C-15480

For Water and Steam Flanged


1/2" 3/4" 1" 11/4" 11/2" 2" 21/2" 3" 4" C-15450 \$ 2.35 \$ 2.60 \$ 4.05 \$ 5.73 \$ 8.00 \$12.30 \$32.15 \$43.75 \$80.00


3" 12" 8" 10" 4" 5" 6" \$ 52.50 \$ 95.00 \$117.50 \$167.50 \$261.25 \$375.00 \$693.75 C-15480

## Reducing and Regulating Valves

C-15460—Auxiliary operated single seat reducing and regulating valve for pressures up to 200 pounds.

NOTE—When ordering state catalogue number, size, inlet and outlet pressure, flanged or screwed ends; flange drilling.





Flanged only:

5" 6" 8" 10" 12" \$232.35 \$291.95 \$424.00 \$599.00 \$987.25

For inlet pressures from 200 to 400 pounds.




C-15460

For Hot and Cold Water Air and Gas Flanged Ends:

2" 3" 4" 5" 6" 8" \$127.05 \$161.45 \$261.15 \$348.50 \$437.90 \$636.00 For pressures over 400 pounds P.O.A.

C-15470—Auxiliary operated reducing and regulating valve for pressures up to 200 pounds.



Flanged or Screwed Ends:

34" 1" 114" 112" 2" 212" 3" 4" \$51.90 \$55.10 \$59.35 \$66.40 \$84.70 \$107.64 \$131.70 \$174.10

Flanged only:

5" 6" 8" 10" 12" \$232.35 \$291.95 \$424.00 \$599.00 \$987.25

Valves for higher pressure with cast steel bodies P.O.A.

For valves less auxiliary operating valve, deduct from above lists \$19.00



C-15470

For Steam and Hot Oil



## Sprinkling and Flushing Hydrants

Hydrant Complete

and

.10

25

10



C-15600

C-15600—1" Supply— 2" Supply-

I" Supply-

2" Supply—

Operating Wrench



C-15601

Each

Hose Stop Repair Wrench



Each

82.00

C-15602 1" 2"

\$1.35 \$2.40

21/2' 3' 31/2' \$29.40 \$29.90 \$30.35 77.90 77.10 78.70 51/2' 6' 61/2' \$32.70 \$33.15 \$32.20

82.80

83.60

84.45

Hose Spanner and Operating Wrench



C-15603 2" Each \$2.00

Brass Inside Thread Hose Coupling and



1" 2" Each \$1.45 \$2.00

5' 4' 41/2' \$30.80 \$31.30 \$31.75 79.55 80.35 81.15 7' 71/2' 8' \$33.65 \$34.10 \$34.60

86.10

85.25

#### Pipe End Reamer



C-15700

Size 3/8" to 3"

\$6.90 6.55 Lot of 12 or more

#### Soil Pipe Calking Irons



C-15710—Straight type with square point	Each	\$1.80
C-15720—Concave type with square point	Each	2.05
C-15730—Concave type with "in" point	Each	2.06
C-15740—Concave type with "out" point	Each	2.06

Thickness of point, inches	3/16
Width of point, inches	3/4
Length of point, inches	1-3/4
Size of Octagon Steel, inches	5/8
Approx. length, inches	7-1/4

### Spring Type Yarning Iron



C-15770 Each \$2.06

Thickness of point, inches	1/8
Width of point, inches	1/2
Length of point, inches	8-1/2
Size Octagon Steel, inches	1/2
Approx. length, inches	14-1/2



## Chisels



	C-157	780			
Number Width of Point, inches Size Octagon Steel, inches Approx. Length, inches Each	1 5/16 1/4 41/ <sub>2</sub> \$1.13	2 3/8 5/16 5 <sup>1</sup> / <sub>2</sub> \$1.18	3 7/16 3/8 53/4 \$1.18	4 1/2 7/16 6 \$1.23	5 9/16 ½ 6 \$1.27
	6 5/8 9/16 6 <sup>1</sup> / <sub>2</sub> \$1.33	7 3/4 5/8 63/4 \$1.42	8 7/8 3/4 7 1/2 \$1.53	9 1 7/8 8 \$1.77	10 1½ 1 8½ 81/4 \$1.96

\$1.80 2.06 2.06 2.06

#### DIAMOND POINT

MUELLER

	C-157	790			
Number	1	2	3	4	5
Width of Point, inches	3/16	7/32	1/4	11/32	3/8
Size Octagon Steel, inches	1/4	5/16	3/8	7/16	1/2
Approx. Length, inches	41/2	5 1/2	5 3/4	6	6
Each	\$1.13	\$1.18	\$1.18	\$1.23	\$1.27
	6	7	8	9	10
	13/32	7/16	1/2	5/8	13/16
	9/16	5/8	3/4	7/8	1
	61/2	63/4	71/2	8	81/4
	\$1 33	\$1.42	\$1.53	d1 77	d1 06

#### HALF ROUND OR SHEEP NOSE

	- Salta est	MUELLER			
	C-158	300			
Number Width of Point, inches Size Octagon Steel, inches Approx. Length, inches Each	1 5/32 1/4 41/2 \$1.13 6 5/16 9/16 61/2 \$1.33	2 3/16 5/16 5/2 \$1.18 7 11/32 5/8 6 <sup>3</sup> /4 \$1.42	3 7/32 3/8 53/4 \$1.18	4 1/4 7/16 6 \$1.23	5 9/32 1/2 6 \$1.27







#### Chisels

CAPE

	The second secon
	MUELLER
A STATE OF THE PARTY OF THE PAR	

C-15810

Number	1	2	3	4	5
Width of Point, inches	3/16	7/32	1,4	9/32	5/16
Size Octagon Steel, inches	1/4	5/16	18	7/16	1/2
Approx. Length, inches	41/2	5½	5,3,4	6	6
Each	\$1.13	\$1.18	\$1.18	\$1.23	\$1.27
	6 % 9/16	7 13/32			

612

\$1.33

LEAD CUTTING

634

\$1.42



Number	1	2
Width of Point, inches	21/4	3.
Sire Octagon Steel, inches	- 54	34
Approximate Length, inches	7	7
Each	\$ 3.04	\$ 3.14



## Chisels and Calking Hammer

PIPE CUTTING CHISEL



\$1.27

C-15830

Width of Cutting Edge, 1-7/16".

Weight with Handle, 3½ lbs.

Each \$4.39

#### DIAMOND POINT CHISEL


C-15840

Size of Point, 13/16" x 5/8".

Weight with Handle, 3½ lbs.

Each \$4.39

#### CALKING HAMMER



C-15850

Weight with Handle, 31/2 lbs.

Each \$3.34



# Miscellaneous Parts Price Built-In Bath Fittings

L	Julii-III Da	dir i ttings	
N.	P. Chrome	Chrome	
Four-Arm Handles:		Stem for Modart Diverting	
Modart, H. or C. ea. \$	.52 \$ .60	Valve, each\$ .98	3
	.52 .60	Stem for Modart Supply Valve	
	.25 2.58	each	1
	.52 .52	Stem for Round Supply Valve	
		each	
	Chrome	Renewable Seat, each	
Escutcheons for Shower \	<sup>7</sup> alves	Seat Disc, each	4
Modart, each		Modart Shower Head face plate	
Round, each	1.02	gasket, each	5
Arteraft, each	1.42	Shower Head ball joint gasket	
Porcelain, each		each	5
		Chrome	
		nower Valves	
Modai	t, each	\$ .72	
		1.02	
		1.42	
Porcel	ain, each		
Expo	osed Comp	pression Fittings	
.\`	.P. Chrome	N.P. Chrom	C
Four-Arm Handles:		Handles:	
All brass. ea. \$	.38 .42	Metal lever, indexed.	
Round, with porcelain		each \$ .38 .4	2
index ea.	.38 .42	Porcelain lever, index-	
Porcelain ea.	.38 .42	ed. each38 .4	
Tee Handles:	*******	Wheel Handles, each .31 .3	5
For 38" drain stop	.14 .16	Malleable iron wheel	
For ½" stop	.14 .16	handle, each22	
		Packing (stem):	
Stems—assembled with s	eat	38"—doz	
washer:	25	1/2"—doz	
For 38" Stops	.25	34"—doz	
For 1/2" Stops	.25	Seat washer screw, doz	
For Basin Faucet	.25	Handle Screw, doz	4
Seat Washers:		Spun Brass Flanges: 3/8" 1/2" 3/4"	,
38"—100	1.75	For supplies 1.P.S.	
%"—100 :	2.10	each, N.P \$ .10 \$ .10 \$ .1	2
34"-100 10	0.15	each, Chrome12 .12 .1	
When ordering, state s	ize descrip-	For Trap: 1\\\ "O.D. 1\\\ "O.E	
tion, type of fitting, nickel or chrome		Each, N.P. \$ .23 \$ .23	
plate.	· · · · · · · · · · · · · · · · · · ·	Each, Chrome .28 .28	

# INDEX

irome

.\$ .98

.84

.84 .15 .04

.06

.06

hrome

.42

.42 .36

....14

34"

A		L	
	Page		Page
Arrente Bath Fittings		Lavatory Faucets	- 44 to 46
Artenife Lavarory Fittings		Lavatory Combinations	20 to 22
		Lavatory Supplies	60-61
Automatic Heating System		Lavatory Traps	63 to 66
		Laundry Tray Faucets	50
В		M	
Bolt Famets		Mixing Valves for Showers	15
Hadrand Shower Fittings	3 to 11	P	
Badı Sopylies		Pantry Faucets	47.46
Barber Shampon Fittings		Pop-Up Drains	4/-40
Karis Drain and Overflows	69	Pipe End Reamers	83
C		R	
Californ-Shower	0	Repair Parts-Built-In Bath and	
The The Total Control of the T	9	Compression	40-88
Closet Flanges, Fittings, etc.		S	
Corrain and Curtain Rails	18-19	Shower Combinations	
Coulling Irons, etc.	84 to 87	Shower Combinations	8 to 11
		Shower and Shampoo Fittings	12-13
D		Shower Valves Shower Heads	16 17
		Sink Combinations	23 24
Denie Fauceta	51	Sink Faucets	40 to 43
Dending Water Faucets	57	Self-Closing Stops	54
Dending Fountain Heads		Stops and Drains, Compression	55
Dean and Operflows	60	Stops and Drains, Ground Key	56
	09	Stops—Globe and Angle	52-53
		Slop Sink Faucets	50
F. Carrotte-Landroom		Supply Pipes—Bath	61
Faucris-Lavatory	11 15 16	Supply Pipes—Basin	60
Faucres-Bath	40	CT.	
Face Clab	49	T	
Fauces Sink	40 to 43	Tank Fittings	70-71
Poplas Paucets		Traps-Lavatory	63 to 66
Firmles	73	Traps—Sink Tray Faucets	63 to 66
Flink Valors	25 to 39	Tray Faucets	50
		Terms and Conditions	2
G		U	
Ground Kirs Stop and Drains	56	Urinal Spreaders	71
		V	
H		Valves-Globe, Angle, Check	72
Heating System	74	Valves—Flu hing	25 to 39
Hamilton-Replacement	40-88	Valves-Reducing and Regulating	77-82
Hose Nopelies		Valves-Relief	78-80
Him Cappings	72	W.7	
Hidrago	72	W	
	83	Wastes-Continuous	65

TRADE MARK

# MUELLER